





***What Have We
Learned Since
Seasat or The
Past is Prologue
to the Future***

**Robert S. Winokur
EarthSat
SAR Users Symposium
March 28, 2001**



Today's Message: State the Obvious

- "History" – where have we been?
- Key accomplishments
- Infrastructure
- Application examples
- Considerations
- The future




Previous Slide

Menu


Exit

Next Slide





Spaceborne SAR Missions



Previous Slide

Menu

Exit

Next Slide







The Early Years - Seasat



SEASAT-A



Seasat 1978

Seasat Phase A Study
Ocean Spectra Concept - 1974



Previous Slide

Menu

Exit

Next Slide





The Early Years - Seasat




FIG. 15. Spatial evolution of SAR wave spectra along pass 1339. The geographic area is similar to Figure 5, but with associated SAR imagery and spectra. The color scale for wave spectra is defined only for signals greater than 1σ above mean background noise.

SAR Wave Spectra





FIG. 16. Gulf Stream current profile and coordinate definition.

Seasat Pass 1339 September 28, 1978



SAR Imagery Applications - Surveillance



EASAT SAR image of a very long narrow wake and of a fishing fleet in the Irish Sea off Bally-quintin Point near the east coast of Northern Ireland. Data collected on August 10, 1978. Pass 633.




Previous Slide

Menu


Exit

Next Slide





SAR Imagery Applications – Arctic Ice Pack Motion




Previous Slide

Menu

Exit

Next Slide





Key Accomplishments and Advances

- Applications demonstrated
- High resolution
- ScanSar
- Multifrequency
- Multipolarization
- Multilooking
- InSar
- Regional to global mapping
- Infrastructure
- Advances in processing, workstations
- Rapid response
- Technology – lightweight antenna, power, size
- Archiving
- Variable angle
- Swath positioning
- GIS compatibility



Previous Slide

Menu


Exit

Next Slide





RADARSAT Synthetic Aperture RADAR Data




Previous Slide

Menu

Exit

Next Slide






RADARSAT Data Acquisition

Ground Stations:

- Fairbanks, AK
- Gatineau, CA
- Tromso, NO
- West Freugh, UK
- China/Japan?
- Puerto Rico?



Previous Slide

Menu


Exit


Next Slide






RADARSAT NIC SAR Data Communications Network





RADARSAT Satellite Active Archive (SAA)




Previous Slide

Menu

Exit

Next Slide






Applications

Broad range of science, operational and commercial applications

- Ocean
- Mapping
- Disasters and natural hazards
- Land use
- Ice
- Hydrologic cycle
- Agriculture
- Forestry management
- Surveillance




Previous Slide

Menu

Exit

Next Slide





Oil Spill Mapping - M/V New Carissa Oil Spill Near Coos Bay, Oregon

Overflight Map

M/V New Carissa Incident

Overflight Map
prepared by NOAA

Date/Time: 11 FEB, 99 0740-0940


Platform: Helicopter

Observers: Payton (NOAA), Reiter (GM),

Lavigne (ITOPF)

USE ONLY AS A GENERAL REFERENCE

Graphic does not represent precise amounts or locations of oil



Overflight: 990211.0940

GSS

RADARSAT SAR Image



© Canadian Space Agency, 1999 2/11/99 0600




Previous Slide

Menu


Exit

Next Slide





Alaskan Annual Resupply-Prudhoe Bay RADARSAT ScanSAR Data NIC Analysis




Previous Slide

Menu


Exit

Next Slide





Ice Warnings for Alaskan Fisheries-RADARSAT ScanSAR Data



Bering Sea ice edge and snow crab fishery fleet




Previous Slide

Menu


Exit

Next Slide





Coastal Wind Images from SAR



Wind image derived from RADARSAT ScanSAR Wide B Imagery
12/22/99 04:41 GMT




Previous Slide

Menu


Exit

Next Slide






Petroleum Exploration of the Pacific Coast of Columbia




Bahia Solano elevation model



Anaglyph



Offshore oil seeps



Geologic interpretation




Previous Slide

Menu

Exit

Next Slide





Enlargement of Flooded Agriculture: Honduras-Nicaragua



November 14, 1998



February 23, 1993




Previous Slide

Menu


Exit

Next Slide





Areas with Agricultural Damage: Honduras-Nicaragua



Approximately 106,000 ha of agricultural areas were severely damaged due to inundation caused by Hurricane Mitch based upon interpretation of Landsat TM and RADARSAT imagery




Previous Slide

Menu


Exit

Next Slide






Casita Volcano Mudslide



SPOT 4 Image November 16, 1998



RADARSAT Image November 7, 1998




Previous Slide

Menu

Exit

Next Slide





Assured Access Considerations

- Defined user needs and base results in the need continuity
- Coordinated approach for continuity consistent with national, international and commercial needs
- User driven
- Timely upgrades
- Planning for replacements
- Policy constraints and external factors, such as “global observing systems”
- Ensure continuity of data – minimize gaps
- Minimize risk
- Entering the “age of SAR mission continuity”




Previous Slide

Menu

Exit

Next Slide





So, What have We Learned Since SeaSat – A Lot

- Important applications have emerged
- Technology and processing greatly improved
- But, the future is about:
 - Continuity
 - Utility or need
 - Timeliness
 - Affordable access
 - Affordability
 - Partnerships and joint/coordinated planning
 - Planning with confidence
 - Continuity




Previous Slide

Menu

Exit

Next Slide





The End – Out of Time

- On the verge of an unprecedented opportunity
- Build on the past
- But forge a system for the future that is affordable, accessible and continuous
- SAR should be an integral part of the emerging set of national and international partnerships focused on observing systems



Previous Slide

Menu

Exit

Next Slide

